



SECTION VIEW

* DESIGN LIMITS
 A-P= 3"-6" MIN.
 P-B= 6" MAX.
 B-C= 18"-24"
 C-D= 0"-36"
 B-D= 24"-60"
 Z= 3 MIN.

NOTES:

1. SOIL MIXTURE TO MEET YORK TOWNSHIP SPECIFICATIONS.
2. SURFACE OUTLET WITH TURF REINFORCEMENT MAT OR PIPED OUTLET REQUIRED.
3. REFER TO BMP 6.4.3 SUBSURFACE INFILTRATION BED PIPE OUTLET DETAIL.

SUB. INFILT. BED	A *	SA@A	B *	SA@B	C *	SA@C	D *	SA@D	P *	SA@P	Z *
	(FT.)	(SQ.FT.)	(FT.)	(SQ.FT.)	(FT.)	(SQ.FT.)	(FT.)	(SQ.FT.)	(FT.)	(SQ.FT.)	

YORK TOWNSHIP STORMWATER MANAGEMENT ORDINANCE

YORK TOWNSHIP
 190 OAK ROAD
 DALLASTOWN, PENNSYLVANIA
 17313
 TEL.: 717-741-3861 FAX:
 717-741-5009

BMP 6.4.3
 SUBSURFACE INFILTRATION BED

DATE: 8/6/09
 DRAWN BY: M.J.L.
 CHK. BY:
 NO. YT SWO 6.4.3